

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	306	399/68,67.ccls.	USPAT; US-PGP UB
2	BRS	L2	336	399/306,303.ccls.	USPAT; US-PGP UB
3	BRS	L3	333	2 not 1	USPAT; US-PGP UB
4	BRS	L4	794	399/302,308.ccls.	USPAT; US-PGP UB
5	BRS	L5	728	4 not (1 or 2)	USPAT; US-PGP UB
6	BRS	L6	808	399/329,328.ccls.	USPAT; US-PGP UB
7	BRS	L7	736	6 not (1 or 2 or 4)	USPAT; US-PGP UB
8	BRS	L8	235	399/322,341.ccls.	USPAT; US-PGP UB
9	BRS	L9	164	8 not (1 or 2 or 4 or 6)	USPAT; US-PGP UB
10	BRS	L10	390	399/101,8.ccls.	USPAT; US-PGP UB
11	BRS	L11	349	10 not (1 or 2 or 4 or 6 or 8)	USPAT; US-PGP UB
12	BRS	L12	88	347/156.ccls.	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	79	12 not (1 or 2 or 4 or 6 or 8 or 10)	USPAT; US-PGP UB
14	BRS	L14	1710	219/216.ccls.	USPAT; US-PGP UB
15	BRS	L15	1264	14 not (1 or 2 or 4 or 6 or 8 or 10 or 12)	USPAT; US-PGP UB
16	BRS	L16	1830	219/243,388.ccls.	USPAT; US-PGP UB
17	BRS	L17	1593	16 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14)	USPAT; US-PGP UB
18	BRS	L18	74723	(speed\$1 or velocit\$3) with (fix\$5 or fus\$5)	USPAT; US-PGP UB
19	BRS	L19	176776	(speed\$1 or velocit\$3) near3 (transfer\$4 or convey\$4 or transport\$5 or process\$3)	USPAT; US-PGP UB
20	BRS	L20	6135	18 same 19	USPAT; US-PGP UB
21	BRS	L21	1167	20 and 399/\$3.ccls.	USPAT; US-PGP UB
22	BRS	L22	650	21 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14 or 16)	USPAT; US-PGP UB
23	BRS	L23	112603 2	duplex\$3 or ((double or both or two or second) near2 (side\$1 or face\$1 or surface\$1))	USPAT; US-PGP UB
24	BRS	L24	389	22 and 23	USPAT; US-PGP UB

	Type	L #	Hits	Search Text	DBs
25	BRS	L25	1044	Teflon with ("PFA" or perfluoroalkoxy)	USPAT; US-PGP UB
26	BRS	L26	59	25 and 399/\$3.ccls.	USPAT; US-PGP UB
27	BRS	L27	37	(clean\$3 near2 roll\$3) with (surface adj1 rough\$4)	USPAT; US-PGP UB
28	BRS	L28	13568	press\$7 near2 belt\$1	USPAT; US-PGP UB
29	BRS	L29	39293	(fix\$5 or fus\$5) near2 roll\$3	USPAT; US-PGP UB
30	BRS	L30	614	28 same 29	USPAT; US-PGP UB
31	BRS	L31	322	30 not (1 or 2 or 4 or 6 or 8 or 10 or 12 or 14 or 16 or 24 or 26 or 27)	USPAT; US-PGP UB
32	BRS	L32	16427	g03g015/16.ipc.	EPO; JPO
33	BRS	L33	24033	g03g015/20.ipc.	EPO; JPO
34	BRS	L34	70738	g03g015/00.ipc.	EPO; JPO
35	BRS	L35	1686	32 and 33	EPO; JPO
36	BRS	L36	588642	speed\$1 or velocit\$3	EPO; JPO
37	BRS	L37	213	35 and 36	EPO; JPO
38	BRS	L38	25144	(speed\$1 or velocit\$3) with (fix\$5 or fus\$5)	EPO; JPO
39	BRS	L39	49672	(speed\$1 or velocit\$3) near3 (transfer\$4 or convey\$4 or transport\$5 or process\$3)	EPO; JPO
40	BRS	L40	2030	38 and 39	EPO; JPO

	Type	L #	Hits	Search Text	DBs
41	BRS	L41	357596	duplex\$3 or ((double or both or two or second) near2 (side\$1 or face\$1 or surface\$1))	EPO; JPO
42	BRS	L42	75	40 and 41	EPO; JPO
43	BRS	L43	36	42 and (32 or 33 or 34)	EPO; JPO
44	BRS	L44	39	42 not 43	EPO; JPO
45	BRS	L45	5141	press\$7 near2 belt\$1	EPO; JPO
46	BRS	L46	18686	(fix\$5 or fus\$5) near2 roll\$3	EPO; JPO
47	BRS	L47	206	45 and 46	EPO; JPO
48	BRS	L48	158	47 and (32 or 33 or 34)	EPO; JPO
49	BRS	L49	12	41 and 48	EPO; JPO
50	BRS	L50	146	48 not 49	EPO; JPO
51	BRS	L51	146	50 not 42	EPO; JPO